

Unsaturated Polyester Resin

Section 1 Product and Company Identification

> Product Identifier

Product Name Unsaturated polyester resin

Synonyms -

CAS No. Not applicableEC No. Not applicableMolecular FormulaNot applicable

> Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Relevant Identified

Uses Please consult manufacturer.

Uses Advised Against Please consult manufacturer.

> Details of the Supplier of the Safety Data Sheet

Applicant Name Evergreen Chemicals Co., Ltd

Application Address Room 2308, Wuzhou International Square, Jiangyin, Jiangsu, China

Applicant Post Code 214445

Applicant Telephone +86-17714007018 **Applicant Fax** +86-510-86055909

Applicant E-mailInfo@evergreenchemicals.cnSupplier NameEvergreen Chemicals Co., Ltd

Supplier Address Room 2308, Wuzhou International Square, Jiangyin, Jiangsu, China

Supplier Post Code 214445

Supplier Telephone +86-17714007018 **Supplier Fax** +86-510-86055909

Supplier E-mail info@evergreenchemicals.cn

> Emergency Phone Number

Emergency Phone +86-532-83889090 Number

Section 2 Hazards Identification

Hazard class and label elements of the product according to GHS (the eighth revised edition):

> GHS Hazard Class

Flammable Liquids Category 3



Address: Room 2308, Wuzhou International Square, Jiangyin, Jiangsu, China

Phone Number/Whatsapp/ Wechat: +86-17714007018

Email: info@evergreenchemicals.cn/
Website: https://www.evergreenchemicals.cn/

to la Evandalina Ca Cuana Mith Hal



Unsaturated Polyester Resin

Skin

Corrosion/Irritation

Category 2

Eye Damage/Irritation

Category 2A

Reproductive Toxicity

Category 2

Specific Target Organ

Toxicity (Repeated

Exposure)

Category 1

> GHS Label Elements

Pictogram



Signal Word

Danger

> Hazard Statements

H226 Flammable liquid and vapour

H315 Causes skin irritation

H319 Causes serious eye irritation

H361 Suspected of damaging fertility or the unborn child

H372 Causes damage to organs through prolonged or repeated exposure

> Precautionary Statements

Prevention

P203 Obtain, read and follow all safety instructions before use.

Keep away from heat, hot surfaces, sparks, open flames and other ignition P210

sources. No smoking.

P233 Keep container tightly closed.

P240 Ground and bond container and receiving equipment.

P241 Use explosion-proof [electrical/ventilating/lighting] equipment.

P242 Use non-sparking tools.

P243 Take action to prevent static discharges.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P264 Wash contact area thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

Wear protective gloves/protective clothing/eye protection/face P280

protection/hearing protection.

Response

P318 IF exposed or concerned, get medical advice.

P319 Get medical help if you feel unwell.

P321 Specific treatment (see measures on this label).

P332+P317 If skin irritation occurs; Get medical help.

> Address: Room 2308, Wuzhou International Square, Jiangyin, Jiangsu, China Phone Number/Whatsapp/ Wechat: +86-17714007018

> > Email: info@evergreenchemicals.cn





Unsaturated Polyester Resin

P337+P317	If eye irritation persists:Get medical help.
P362+P364	Take off contaminated clothing and wash it before reuse.
P370+P378	In case of fire: Use suitable extinguishing medium to extinguish.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse affected areas with water [or shower].
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Storage	
P405	Store locked up.

P403+P235 Store in a well-ventilated place. Keep cool.

Disposal

P501

Dispose of contents/container in accordance with local/regional/national/

international regulations.

Composition/Information on Ingredients Section 3

Component	Concentration (weight percent, %)	CAS No.	EC No.
Styrene	Commercial secrets	100-42-5	202-851-5
Unsaturated polyester	Commercial secrets	-	-

Section 4 First Aid Measures

> Description of First Aid Measures

General Advice	Immediate medical attention is required. Show this safety data sheet (SDS) to the doctor in attendance.
Eye Contact	Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician if feel uncomfortable.
Skin Contact	Take off contaminated clothing and shoes immediately. Wash off with plenty of water for at least 15 minutes and consult a physician if feel uncomfortable.
Ingestion	Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a physician or Poison Control Center immediately.
Inhalation	Move victim into fresh air. If breathing is difficult, give oxygen. Do not use mouth to mouth resuscitation if victim ingested or inhaled the substance. If not breathing, give artificial respiration and consult a physician immediately.
Protecting of	Ensure that medical personnel are aware of the substance involved. Take
First-aiders	precautions to protect themselves and prevent spread of contamination.

> Most Important Symptoms and Effects, both Acute and Delayed

Substance accumulation, in the human body, may occur and may cause some concern following repeated or long-term occupational exposure.

> Indication of Any Immediate Medical Attention and Special Treatment Needed

- Treat symptomatically.
- Symptoms may be delayed.



Address: Room 2308, Wuzhou International Square, Jiangyin, Jiangsu, China

Phone Number/Whatsapp/ Wechat: +86-17714007018

Email: info@evergreenchemicals.cn

Section 5 Fire Fighting Measures

> Extinguishing Media

Suitable Extinguishing Media

Dry chemical, carbon dioxide or alcohol-resistant foam.

Unsuitable Extinguishing Media

Do not use a solid water stream as it may scatter or spread fire.

> Specific Hazards Arising from the Substance or Mixture

- 1 Will form explosive mixtures with air.
- 2 Fire exposed containers may vent contents through pressure relief valves thereby increasing fire intensity and/ or vapour concentration.
- **3** Vapours may travel to source of ignition and flash back.
- 4 Liquid and vapour are flammable.
- **5** Containers may explode when heated.
- **6** Fire exposed containers may vent contents through pressure relief valves.
- 7 May expansion or decompose explosively when heated or involved in fire.

> Advice for Firefighters

- As in any fire, wear self-contained breathing apparatus (MSHA/NIOSH approved or equivalent) and full protective gear.
- **2** Fight fire from a safe distance, with adequate cover.
- 3 Prevent fire extinguishing water from contaminating surface water or the ground water system.

Section 6 Accidental Release Measure

> Personal Precautions, Protective Equipment and Emergency Procedures

- 1 Avoid breathing vapors and contacting with skin and eye.
- **2** Beware of vapours accumulating to form explosive concentrations.
- 3 Vapours can accumulate in low areas.
- 4 Emergency personnel wear positive pressure self-contained breathing apparatus. Wear protective and anti-static clothing. Wear chemical impermeable gloves.
- **5** Ensure adequate ventilation. Remove all sources of ignition.
- **6** Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.
- 7 Use personal protective equipment. Avoid breathing vapours, mist, gas or dust.

> Environmental Precautions

- 1 Prevent further leakage or spillage if safe to do so.
- 2 Discharge into the environment must be avoided.



Address: Room 2308, Wuzhou International Square, Jiangyin, Jiangsu, China
Phone Number/Whatsapp/ Wechat: +86-17714007018

Email: info@evergreenchemicals.cn



Unsaturated Polyester Resin

> Methods and Materials for Containment and Cleaning Up

- Absorb spilled material in dry sand or inert absorbent. In case of large amount of spillage, contain a spill by bunding.
- Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.
- 3 Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

Section 7 Handling and Storage

> Precautions for Handling

- **1** Avoid inhalation of vapors.
- 2 Use only non-sparking tools.
- To prevent fire caused by electrostatic discharge steam, equipment on all metal parts should be grounded.
- 4 Use explosion proof equipment.
- 5 Handling is performed in a well ventilated place.
- 6 Wear suitable protective equipment.
- 7 Avoid contact with skin and eyes.
- **8** Keep away from heat/sparks/open flames/ hot surfaces.
- 9 Take precautionary measures against static discharges.

> Precautions for Storage

- 1 Keep containers tightly closed.
- 2 Keep containers in a dry, cool and well-ventilated place.
- **3** Keep away from heat/sparks/open flames/ hot surfaces.
- **4** Store away from incompatible materials and foodstuff containers.

Section 8 Exposure Controls/Personal Protection

> Control Parameters

Occupational Exposure Limit Values

Component	Country/Dogion	Limit Value	e - Eight Hours	Limit Value - Short Term		
	Country/Region	ppm	mg/m³	ppm	mg/m³	
Styrene 100-42-5	USA - OSHA	100	-	200	-	
	South Korea	20	85	40	170	
	Ireland	20	85	40	170	
	Germany (AGS)	20	86	40	172	
	Denmark	25	105	25	105	

万青®

Address: Room 2308, Wuzhou International Square, Jiangyin, Jiangsu, China

Phone Number/Whatsapp/ Wechat: +86-17714007018

Email: info@evergreenchemicals.cn



Unsaturated Polyester Resin

	Australia	50	213	100	426
--	-----------	----	-----	-----	-----

Biological Limit Values

No information available

Monitoring Methods

- EN 14042 Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.
- GBZ/T 160 Determination of toxic substances in workplace air(Series effective standard)and GBZ/T 2 300 Determination of toxic substances in workplace air(Series standard).

> Engineering Controls

- Ensure adequate ventilation, especially in confined areas.
- 2 Ensure that eyewash stations and safety showers are close to the workstation location.
- 3 Use explosion-proof electrical/ventilating/lighting/equipment.
- Set up emergency exit and necessary risk-elimination area.

> Personal Protection Equipment

Eye Protection Tightly fitting safety goggles (approved by EN 166(EU) or NIOSH (US).

Wear protective gloves (such as butyl rubber), passing the tests according to **Hand Protection**

EN 374(EU), US F739 or AS/NZS 2161.1 standard.

If exposure limits are exceeded or if irritation or other symptoms are

Respiratory protection experienced, use a full-face respirator with multi-purpose combination (US) or

type AXBEK (EN 14387) respirator cartridges.

Skin and

Protection

Wear fire/flame resistant/retardant clothing and antistatic boots.

Section 9 **Physical and Chemical Properties**

Appearance: Light yellow transparent liquid **Odor:** No information available **Odor Threshold:** No information available pH: No information available

Melting Point/Freezing Point (°C): No information Initial Boiling Point and Boiling Range (°C): No

information available

Flash Point (°C)(Closed Cup): 35 **Evaporation Rate:** No information available

Upper/lower explosive limits[%(v/v)]: Upper limit: No information available; Lower limit: No information Flammability: Not applicable

available

Relative Vapour Density(Air = 1): No information Vapor Pressure (KPa): No information available

Relative Density(Water=1): No information

Body

available

n-Octanol/Water Partition Coefficient: No

information available

Decomposition Temperature (°C): No information **Kinematic Viscosity (mm²/s):** No information

available

Particle characteristics: Not applicable

available

Solubility: No information available

Auto-Ignition Temperature(°C): No information

available

available



Address: Room 2308, Wuzhou International Square, Jiangyin, Jiangsu, China Phone Number/Whatsapp/ Wechat: +86-17714007018

Email: info@evergreenchemicals.cn



Unsaturated Polyester Resin

Section 10 Stability and Reactivity

Reactivity Contact with incompatible substances can cause decomposition or other

chemical reactions.

Chemical Stability Stable under proper operation and storage conditions.

Possibility of

Hazardous Reactions
In contact with halides may cause an active reaction.

Conditions to Avoid Incompatible materials, heat, flame and spark.

Incompatible Materials Halides, Oxidantss and halogen.

Hazardous

Under normal conditions of storage and use, hazardous decomposition

products should not be produced.

Section 11 Toxicological Information

> Acute Toxicity

Component	CAS No.	LD ₅₀ (Oral)	LD ₅₀ (Dermal)	LC ₅₀ (Inhalation, 4h)	
Styrene	100-42-5	2650mg/kg(Rat)	No information	12mg/L(Rat)	
		_ = = = = = = = = = = = = = = = = = = =	available	=:::9, =(::0:0)	

> Skin Corrosion/Irritation

Causes skin irritation(Category 2)

> Serious Eye Damage/Irritation

Causes serious eye irritation(Category 2A)

> Skin Sensitization

No information available

> Respiratory Sensitization

No information available

> Germ Cell Mutagenicity

No information available

> Carcinogenicity



Address: Room 2308, Wuzhou International Square, Jiangyin, Jiangsu, China

Phone Number/Whatsapp/ Wechat: +86-17714007018



Unsaturated Polyester Resin

ID	CAS No.	Component	IARC	NTP
1	100-42-5	Styrene	Category 2B	Not Listed
2	-	Unsaturated polyester	Not Listed	Not Listed

> Reproductive Toxicity

Suspected of damaging fertility or the unborn child(Category 2)

> Reproductive Toxicity (Additional)

No information available

> STOT-Single Exposure

No information available

> STOT-Repeated Exposure

Causes damage to organs through prolonged or repeated exposure(Category 1)

> Aspiration Hazard

No information available

Section 12 Ecological Information

> Acute Aquatic Toxicity

Component	CAS No.	Fish	Crustaceans	Algae	
Styrene	100-42-5	LC ₅₀ : 25mg/L (96h)(Fish)	EC ₅₀ : 4.7mg/L (48h)	ErC ₅₀ : 0.72mg/L (96h)	

> Chronic Aquatic Toxicity

No information available

> Others

Persistence and Degradability Bioaccumulative

No information available

Potential

Mobility in Soil

No information available

No information available

Results of PBT and vPvB Assessment Styrene does not meet the criteria for PBT and vPvB according to Regulation

(EC) No 1907/2006, annex XIII.

Section 13 Disposal Considerations

万青®

Address: Room 2308, Wuzhou International Square, Jiangyin, Jiangsu, China
Phone Number/Whatsapp/ Wechat: +86-17714007018

Email: info@evergreenchemicals.cn

Disposal



Unsaturated Polyester Resin

Waste Chemicals Before disposal should refer to the relevant national and local laws and

regulation. Recommend the use of incineration disposal.

ContaminatedContainers may still present chemical hazard when empty. Keep away from hot and ignition source of fire. Return to supplier for recycling if possible.

Refer to Waste chemicals and Contaminated packaging.

Transport Information

Transporting Label

Recommendations



Section 14

RESIN SOLUTION, flammable

Marine pollutant None

UN Number 1866

UN Proper Shipping

Name

Transport Hazard Class 3

Transport Subsidiary

Hazard Class

NONE

Packing Group III

Section 15 Regulatory Information

> International Chemical Inventory

Component	EINECS	TSCA	DSL	IECSC	NZIoC	PICCS	KECI	AICS	ENCS
Styrene	✓	√	√	√	√	√	√	√	✓
Unsaturated polyester	×	×	×	×	×	×	×	×	×

[EINECS] European Inventory of Existing Commercial Chemical Substances.

[TSCA] United States Toxic Substances Control Act Inventory.

[DSL] Canadian Domestic Substances List.

[IECSC] China Inventory of Existing Chemical Substances.

[NZIoC] New Zealand Inventory of Chemicals.

[PICCS] Philippines Inventory of Chemicals and Chemical Substances.

[KECI] Existing and Evaluated Chemical Substances.[AICS] Australia Inventory of Chemical Substances.[ENCS] Existing And New Chemical Substances.

Note

" $\sqrt{}$ " Indicates that the substance included in the regulations

"x" That no data or included in the regulations



Address: Room 2308, Wuzhou International Square, Jiangyin, Jiangsu, China
Phone Number/Whatsapp/ Wechat: +86-17714007018

Email: info@evergreenchemicals.cn

Mehaita https://www.avargraanshamiasla.com



Unsaturated Polyester Resin

Section 16 Additional Information

 Creation Date
 2021/04/09

 Revision Date
 2021/04/09

Reason for Revision -

> Disclaimer

This Safety Data Sheet (SDS) was prepared according to UN GHS (the 8th revised edition). The data included was derived from international authoritative database and provided by the enterprise. Other information was based on the present state of our knowledge. We try to ensure the correctness of all information. However, due to the diversity of information sources and the limitations of our knowledge, this document is only for user's reference. Users should make their independent judgment of suitability of this information for their particular purposes. We do not assume responsibility for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product.

